WorkForce® Pro WF-6590



In the box

WorkForce® Pro WF-6590



Multifunction Printer



748 DURABrite® Pro Series Genuine Epson® inital ink cartridges¹

Printer designed for use exclusively with Epson Ink cartridges*.



Power cord

(USB cable not included)

1 The ink cartridges included with the printer are designed for printer setup and not for resale. After some ink is used for priming, the rest is available for printing.

At a glance

WorkForce® Pro WF-6590













Wireless

Print

Copy

Scan

Fax

Ethernet

Additional features

- ✓ Savings up to 50 percent vs. color lasers¹
- ✓ Low intervention; up to 7,000-pg. blk/clr cartridge yield²
- ✓ Fast print speeds 24 ISO ppm (black/color)³
- ✓ Fast auto-duplex print/copy/scan/fax
- ✓ High paper capacity; up to 1,580 sheets⁴
- Printer security features
- ✓ DURABrite® Pro cartridges
- ✓ PCL*/PostScript® support
- Powered by PrecisionCore®
- Compatible with MPS software solutions



748XXL Series Genuine Epson® Ink cartridges

Printer designed for use exclusively

with Epson Ink cartridges*.



- 1 Compared with best-selling color lasers priced at \$699 (USD) or less as of June 2015. Calculation based on continuous printing with highest-capacity cartridges. Actual savings will vary based on print task and use conditions.
- 2 748XXL Black cartridge prints about 10,000 ISO pages. 748XXL color cartridges print about 7,000 ISO pages on average. Replacement cartridge yields are based on ISO/IEC 24711 tests in Default Mode printing continuously. Cartridge yields vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink color. All ink colors are used for printing and printer maintenance, and all colors have to be installed for printing. For print quality, part of the ink from the included cartridges is used for printer startup and a variable amount of ink remains in the cartridges after the "replace cartridge" signal. For details, see www.epson.com/inkinfo
- 3 Black and color print speeds are measured in accordance with ISO/IEC 24734. Actual print times will vary based on factors including system configuration, software, and page complexity. For more information, visit www.epson.com/printspeed
- 4 With optional paper trays.



Replacement ink cartridges — print up to 10,000 pages black / 7,000 color¹



1 748XXL Black cartridge prints about 10,000 ISO pages. 748XXL color cartridges print about 7,000 ISO pages on average. Replacement cartridge yields are based on ISO/IEC 24711 tests in Default Mode printing continuously. Cartridge yields vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink color. All ink colors are used for printing and printer maintenance, and all colors have to be installed for printing. For print quality, part of the ink from the included cartridges is used for printer startup and a variable amount of ink remains in the cartridges after the "replace cartridge" signal. For details, see www.epson.com/inkinfo

WorkForce® Pro WF-6590

Print | Copy | Scan | Fax | Ethernet | Wireless | PCL/PS





A fast, cost-effective multifunction printer for workgroup productivity.

Cost savings — up to 50 percent lower printing costs vs. color lasers¹

Low intervention — print up to 7000 black/color pages without changing cartridges²

Epson's fastest office multifunction printer - 24 ISO ppm (black), 24 ISO ppm (color) †

Versatile media handling — fast auto duplexing (print, copy, scan, fax); up to 1580-sheet total paper capacity 3

Security features — PIN number certification for job release; user control access, printer and network settings via Web Config with printer's IP address; SSL/TLS security, IPsec

Pro-quality documents — long-lasting results with DURABrite® Pro cartridges

Drivers and utilities — remote printing and Cloud access with Universal printer driver; PCL^4 and Adobe® PostScript® 3^{TM} support

Powered by PrecisionCore® — the next generation of inkjet printing technology

 $\label{eq:compatible} \textbf{Enabled for remote printer data collection} - \text{compatible with MPS software solutions from PrintFleet}^{\tiny @}, ECi (FMAudit^{\tiny @}), PrintAudit^{\tiny @} and others$

Duty cycle — up to 75,000 pages monthly⁵

Designed for use exclusively with Epson cartridges*.





WorkForce® Pro WF-6590 Multifunction Printer

Print

Printing Technology PrecisionCore 4S printhead 4-color inkjet Printer Language Epson ESC/P®-R, PCL 5 emulation4, PCL 6 emulation² PostScript 3

Maximum Print Resolution 4800 x 1200 optimized dpi ISO Print Speed† Black 24 ISO ppm / Color 24 ISO ppm Two-Sided ISO Print Speed† Black 16 ISO ppm / Color 16 ISO ppm

Maximum Draft Print Speed^{††} Black 34 ppm / Color 34 ppm Minimum Ink Droplet Size 3 droplet sizes, as small as

Duty Cycle⁵ Up to 75,000 pages (Recommended monthly page volume: up to 5000 pages)

Copy

ISO Copy Speed*** Black 22 ISO cpm / Color 21 ISO cpm Copy Quality Color/Black-and-White: Standard/Best Copy Quantity 1 - 999 (PC-free) Maximum Copy Size 8.5" x 14"

Copy Features Auto 2-sided, Preview, Resize, Collate, Adjustable Copy Density

Scanner Type Color flatbed/Auto 2-sided ADF Photoelectric Device ColorCIS line sensor Scanbed Size 8.5" x 14"

Optical Resolution 1200 dpi Hardware Resolution 1200 x 2400 dpi

Maximum Resolution 9600 x 9600 dpi interpolated Scanner Bit Depth 30-bit color input/24-bit color output Scan Features Scan to PC via Document Capture Pro,

Scan to Cloud⁶ (including email), Memory Device, Password Protected PDFs, Address book via LDAP

Fax

Black-and-white and Color Modem: 33.6 Kbps – as fast as 3 sec per page Memory: Up to 550 pages Speed dials: 200 (max.) PC-Fax

Security

Security Features

PIN number certification for job release, user control access, printer and network settings via Web Config using printer's IP address, SSL/TLS security, IPsec

Connectivity

Standard Connectivity

Hi-Speed USB (compatible with USB 2.0 specification) Wireless LAN IEEE (802.11 b/g/n)⁷ Wired Ethernet (1000 Base-T/100 Base-TX/10 Base-T) Wi-Fi Direct® NFC⁸

Connectivity (continued)

Network Protocols

TCP/IP v4/v6

Network Printing Protocols IPP, LDP, Port 9100, WSD

Network Management Protocols SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, Ping, SLP. WSD. LLTD

WLAN Security
WEP 64 Bit, WEP 128 Bit, WPA PSK (AES)

Operating Systems Windows® 10, Windows 8.x (32-bit, 64-bit), Operating Systems Windows® 10, Windows 8.x (32-bit, 64-bit), Windows 7 (32-bit, 64-bit), Windows Vista® (32-bit, 64-bit), Windows XP SP3 (32-bit), Windows XP Professional x64 Edition, Windows Server 2012 R2®, Windows Server 2012®, Windows Server 2008 R2®, Windows Server 2008®, Windows Server 2003 R2®, Windows Server 2003®, Mac OS® X 10.6.x – 10.11.x¹⁰
Mac OS X Server¹⁰

Mobile Printing

Epson Connect™11 Epson Email Print, Epson iPrint™ Mobile App, Epson Remote Print

Other Apple® AirPrint™, Google Cloud Print™, Fire™ OS

Paper Handling

PC-free Paper Support Plain (Letter, Legal, A4), Photo (4" x 6", 5" x 7", 8" x 10", 8.5" x 11", A4)

Maximum Paper Size 8.5" x 47.2"

Paper Sizes $3.5" \times 5"$, $4" \times 6"$, $5" \times 7"$, $8" \times 10"$, $8.5" \times 11"$, 8.5" x 14", A4, A6, half letter, executive, user definable (3.5" – 47.2" in length)

Paper Types Plain paper, Bright White Paper, Presentation Paper Matte, Premium Presentation Paper Matte, Premium Presentation Paper Matte Double-sided, Photo Paper Glossy, Premium Photo Paper Glossy, Ultra Premium Photo Paper Glossy, Premium Photo Paper Semi-gloss, Ultra Premium Photo Paper Luster

Envelope Types No. 10; plain paper, bond paper, air mail **Input Paper Capacity**

500 sheets plain paper (500 sheets plain paper x 1 tray) Rear feed: 80 sheets

(1580 sheets total with two optional 500-sheet paper trays)

Auto Document Feeder: 50 sheets

General

Display 4.3" color touchscreen

Temperature

Operating: 50 ° to 95 °F (10 ° to 35 °C) Storage: -4 ° to 104 °F (-20 ° to 40 °C) **Relative Humidity**

Operating: 20 - 80%Storage: 5 - 85% (no condensation)

Sound Level

Power 6.5 dB(A) Pressure 50 dB(A)

General (continued)

Rated Voltage AC 100 - 240V Universal (Automatic)

Rated Frequency 50 – 60 Hz Rated Current 1.2A - 0.6A

Power Consumption

Approx. 36 W ISO 24712 (Standalone copy printing) Approx. 17 W (Standby)

Approx. 2.7 W (Sleep)

Approx. 0.5 W (Power off) ENERGY STAR® qualified

Typical Energy Consumption (TEC)12 0.6 kWh **Safety Approvals**

Safety standards UL60950, CSA C22.2 No. 60950 EMI FCC Part 15 subpart B class B, CAN/CSA-CEI/IEC CISPR 22 class B

Telecom Regulations FCC Part 68 (U.S.A.), IC/CS03 (Canada) Country of Origin Indonesia

Weight and Dimensions (W x D x H)

Printing: 20.3" x 29.8" x 21.3' Storage: 20.3" x 20.6" x 20.2'

Weight: 68.3 lb

What's in the Box Epson WorkForce Pro WF-6590 multifunction printer, power cord, DURABrite Pro Ink cartridges² – Four 748 series ink cartridges: Black, Cyan, Magenta, Yellow

Software Included¹³ Epson printer driver, PCL 5 driver emulation4, PCL 6 driver emulation4, PostScript 3, Document Capture Pro

Warranty One-year limited warranty in the U.S. and Canada

Ink Type DURABrite Pro pigment ink (smudge, fade and

Ink Palette Cyan, Magenta, Yellow and Black

Ink Cartridge Configuration Four individual ink cartridges

Replacement Ink Cartridges² 748 Standard-capacity Black, Cyan, Magenta, Yellow (Yield, ISO pages – Black: 2500, Color: 1500) 748XL High-capacity Black, Cyan, Magenta, Yellow (Yield, ISO pages - Black: 5000, Color: 4000) 748XXL Extra High-capacity Black, Cyan, Magenta, Yellow (Yield, ISO pages - Black: 10,000, Color: 7000)

Printer is designed for use with Epson cartridges only, not third-party cartridges or ink. www.epson.com/cartridgereturn*

Eco Features

Uses up to 70% less power than laser printers¹⁴ Save up to 50% of your paper supply with auto 2-sided printing ENERGY STAR qualified RoHS compliant Recyclable product15 Epson America, Inc. is a SmartWaySM Transport Partner¹⁶

Ordering Information

WorkForce Pro WF-6590 C11CD49201 Optional 500-sheet paper cassette tray C12C932011 Optional cabinet C12C932681 Maintenance box C13T671200

*This product uses only genuine Epson-brand cartridges. Other brands of ink cartridges and ink supplies are not compatible and, even if described as compatible, may not function properly.

† Black and color print speeds are measured in accordance with ISO/IEC 24734. Actual print times will vary based on system configuration, software, and page complexity. For more information, visit www.epson.com/printspeed †† Maximum print speeds are measured with text patterns in Draft Mode on plain paper. Actual print times will vary based on system configuration, software, and page complexity. He Black and color copy speeds are determined in accordance with ISO/IEC 29183. Actual copy times will vary based on system configuration and page complexity. For more information, visit www.epson.com/copyspeed | 1 Compared with best-selling color lasers priced at \$699 (USD) or less as of June 2015. Calculation based on continuous printing with highest-capacity cartridges. Actual savings will vary based on print stak and use conditions. | 2 748XXL Black cartridge prints about 10,000 ISO pages. 748XXL color cartridges print about 7000 ISO pages. Replacement cartridge yields are based on ISO/IEC 24711 tests in Default Mode printing continuously. Cartridge yields vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink color. All ink colors are used for printing and printer maintenance, and all colors have to be installed for printing. For print quality, part of the ink from the included cartridges is used for printer startup and a variable amount of ink remains in the cartridges and colors are used for printing. For printing and printer maintenance, and all colors have to be installed for printing. For print quality, part of the ink from the included cartridges is used for printer startup and a variable amount of ink remains in the cartridges and includes and incl † Black and color print speeds are measured in accordance with ISO/IEC 24734. Actual print times will vary based on system configuration, software, and page complexity. For more information,

Epson America, Inc.

3840 Kilroy Airport Way, Long Beach, CA 90806

Epson Canada Limited 185 Renfrew Drive, Markham, Ontario L3R 6G3 www.epson.com www.epson.ca

Specifications and terms are subject to change without notice. EPSON, DURABrite, Epson ESC/P, PrecisionCore and WorkForce are registered trademarks, EPSON Exceed Your Vision is a registered logomark and Epson Connect and Epson iPrint are trademarks of Seiko Epson Corporation. Built to Perform is a registered trademark of Epson America, Inc. Apple, Mac OS and OS X are trademarks of Apple Inc., registered in the U.S. and other countries. AirPrint is a trademark of Apple Inc. Google Cloud Print is a trademark of Google Inc. Wi-Fi Direct® is a registered trademark and Wi-Fi CERTIFIED™ is a trademark of Wi-Fi Alliance®. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. Copyright 2015 Epson America, Inc. Com-SS-Oct-13 CPD-51022 11/15

BUILT TO PERFORM