## WorkForce® Pro WF-C5710



## In the box

## WorkForce® Pro WF-C5710



Multifunction Printer



T902 DURABrite® Ultra Series Genuine Epson® Ink initial packs¹

Printer designed for use exclusively with Epson Ink packs\*.

1 The ink packs included with the printer are designed for printer setup and not for resale. After some ink is used for priming, the rest is available for printing.



Power cord

(USB cable not included)

\*SCROLL DOWN TO "FROM THE MANUFACTURER" TO LEARN MORE.

## At a glance

### WorkForce® Pro WF-C5710







Print

**Ethernet** 

### Additional features

- ✓ Powered by PrecisionCore®
- ✓ Up to 45% lower total printing costs¹
- ✓ Small footprint
- ✓ 24 ISO ppm bk/24 ISO ppm clr²
- ✓ Fast first page out; no warmup
- ✓ 50-page ADF; fast scans
- Auto 2-sided print/copy/scan/fax
- Printer security features
- Replaceable Ink Pack System
- ✓ Remote data collection



## Ink packs



T902 Series Genuine Epson® ink packs Printer designed for use exclusively with Epson Ink packs\*.

- 1 Compared with best-selling, color laser printers priced at \$499 (USD) or less and 30 ppm or less, as of October 2017. Calculation based on continuous printing with highest-capacity individual cartridges. Actual savings will vary based on print task and use conditions.
- 2 Black and color print speeds are measured in accordance with ISO/IEC 24734. Actual print times will vary based on factors including system configuration, software, and page complexity. For more information, visit www.epson.com/printspeed

#### \*SCROLL DOWN TO "FROM THE MANUFACTURER" TO LEARN MORE.

## WorkForce® Pro WF-C5710



# Replacement ink packs — print up to 10,000 pages black / 5,000 color



1 Replacement ink pack yields are estimated based on ISO/IEC 24711 test in Default Mode printing continuously. Ink pack yields vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink color. All ink colors are used for printing and printer maintenance, and all colors have to be installed for printing. For print quality, part of the ink from the included ink packs is used for printer startup and a variable amount of ink remains in the ink pack after the "replace ink pack" signal. For details, see www.epson.com/inkinfo





## WorkForce® Pro WF-C5710 Replaceable Ink Pack System

Wireless | Print | Copy | Scan | Fax | Ethernet





## Compact, cost-saving multifunction printer that drives productivity.

**Powered by PrecisionCore®** — the next generation of inkjet printing technology; plus, Epson's innovative Replaceable Ink Pack System

**Easy on your budget** — up to 45 percent lower total printing costs vs. color laser<sup>1</sup>

**Productive workspace** — compact footprint for a streamlined, efficient workstation

**Blazing fast print speeds; no warmup time** - 24 ISO ppm (black/color)<sup>†</sup>; plus, fast first page out

**Enhance your productivity** — 50-page duplex Automatic Document Feeder; auto 2-sided print, copy, scan and fax; fast scan speeds; Document Capture Pro software included

**Security features** — PIN number certification for job release; user control access; printer and network settings via Web Config with printer's IP address; SSL/TLS security; IPsec

**Minimize your interventions** — Replaceable Ink Pack System lets you print up to 5,000 ISO pages without changing the ink packs<sup>2</sup>; plus, up to 830 sheets total paper capacity with optional second paper tray

**Enabled for remote printer data collection** — compatible with MPS software solutions from PrintFleet®, ECi (FMAudit®) and others

Designed for use exclusively with Epson® ink packs\*.



#### WorkForce® Pro WF-C5710

#### Print

Printing Technology PrecisionCore 4S printhead 4-color inkjet Printer Language Epson ESC/P-R

Maximum Print Resolution 4800 x 1200 optimized dpi ISO Print Speed† 24 ISO ppm (black), 24 ISO ppm (color) 2-Sided ISO Print Speed† 15 ISO ppm (black), 15 ISO ppm (color) Maximum Draft Print Speed<sup>††</sup> 34 ppm (black), 34 ppm (color) Minimum Ink Droplet Size As small as 3.8 picoliters Duty Cycle<sup>3</sup> Up to 45,000 pages (Recommended monthly page volume: up to 2,500 pages)

#### **Mobile Printing**

Epson Connect™ Solutions4 Epson Email Print, Epson iPrint Mobile App, Epson Remote Print

Other Apple® AirPrint®, Google Cloud Print™, Fire™ OS

ISO Copy Speed\*\*\* 22 ISO cpm (black), 22 ISO cpm (color) Copy Quality Color/Black-and-White: Standard/Best Copy Quantity 1 – 999 (PC-free)

Maximum Copy Size 8.5" x 14"

**Copy Features** Auto 2-sided, Preview, Resize, ID Copy, Collate, Adjustable Copy Density, Remove Punched Holes, Remove Shadows

Scanner Type Color flatbed/Auto 2-sided ADF Photoelectric Device Color CIS line sensor

Scanbed Size 8.5" x 14" Optical Resolution 1200 dpi

Hardware Resolution 1200 x 2400 dpi Maximum Resolution 9600 dpi interpolated

Scanner Bit Depth 48-bit color input/24-bit color output Scan Features Scan to PC via Document Capture Pro, Scan to Cloud<sup>5</sup> (including email), Memory Device, Scan to Network Folder, Password Protected PDFs

Black-and-white and Color Modem: 33.6 Kbps - as fast as 3

Memory: Up to 550 pages Speed Dials: 200 (max.)

PC-Fax

#### Security

Security Features PIN number certification for job release, user control access, printer and network settings via Web Config using printer's IP address, SSL/TLS security, IPsec

#### Connectivity

#### Standard Connectivity

Hi-Speed USB (compatible with USB 2.0 specification)
Wireless LAN IEEE (802.11 b/g/n)<sup>6</sup>
Wired Ethernet (1000 Base-T/100 Base-TX/10 Base-T) Wi-Fi Direct®6

#### **Connectivity (continued)**

Network Protocols TCP/IP v4/v6

Network Printing Protocols IPP, LDP, Port 9100, WSD Network Management Protocols SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, Ping, SLP, WSD, LLTD WLAN Security WEP 64 Bit, WEP 128 Bit, WPA PSK (AES)

#### **Auto Document Feeder**

50 pages

#### **Operating Systems**

Windows® 10 (32-bit, 64-bit), Windows 8 (32-bit, 64-bit), Windows 7 (32-bit, 64-bit), Windows Vista® (32-bit, 64-bit), Windows XP SP3 (32-bit), Windows XP Professional x64 Edition, Windows Server® 2012 R27, Windows Server 20127, Windows Server 2008 R27, Windows Server 20087, Windows Server 2003 R27, Windows Server 20037,

Mac® OS X® 10.5.8 - 10.11.x8 Mac OS X Server8

#### **Paper Handling**

PC-free Paper Support Plain (Letter, A4), Photo (Letter, A4,  $8" \times 10"$ ,  $5" \times 7"$ ,  $4" \times 6"$ ) Maximum Paper Size  $8.5" \times 47.2"$ 

**Paper Sizes** 3.5" x 5", 4" x 6", 5" x 7", 8" x 10", 8.5" x 11", 8.5" x 14", A4, A6, half letter, executive, user definable (3" x 5" - 8.5" x 47")

Paper Types Plain paper, Epson Bright White Paper, Epson Presentation Paper Matte, Epson Premium Presentation Paper Matte, Epson Premium Presentation Paper Matte Double-sided. Epson Photo Glossy, Epson Premium Photo Paper Glossy, Epson Ultra Premium Photo Paper Glossy, Epson Premium Photo Paper Semi-gloss

Envelope Types No. 10

Input Paper Capacity 830 sheets plain paper (250 sheets plain paper x 1 tray), 500 sheets plain paper optional tray, Rear feed: 80 sheets, 10 envelopes

#### General

Display 4.3" color touchscreen

**Temperature** 

Operating: 50 ° to 95 °F (10 ° to 35 °C) Storage: -4 ° to 104 °F (-20 ° to 40 °C)

**Relative Humidity** 

Operating: 20 – 80% Storage: 5 – 85% (no condensation)

**Sound Level** Power: 6.6 dB(A) Pressure: 54 dB(A)

Rated Voltage AC 100-240 V Universal (Automatic) Rated Frequency 50-60 Hz

Rated Current 0.9 A – 0.5 A

#### **General (continued)**

Power Consumption Standalone: Approx. 23 W ISO 24712 Standby: Approx. 10 W Sleep: Approx. 1.5 W Power Off: Approx. 0.2 W ENERGY STAR® qualified

Typical Energy Consumption (TEC)9 0.2 kWh

Safety Approvals Safety standards UL60950, CSA C22.2 No. 60950 EMI FCC Part 15 subpart B class B, CAN/CSA-CEI/IEC CISPR 22 class B

**Telecom Regulations** FCC Part 68 (U.S.A.), IC/CS03 (Canada) Country of Origin Indonesia

Weight and Dimensions (W x D x H)

Printing: 16.7" x 22.8" x 17.7" Storage: 16.7" x 21.1" x 14.1"

Weight: 40.6 lb

Warranty 1-year limited warranty in the U.S. and Canada

#### What's in the Box

Epson WorkForce Pro WF-C5710 multifunction printer, power cord, DURABrite® Ultra Ink packs2 - 4 T902 initial ink packs: Black, Cyan, Magenta, Yellow

#### Software Included<sup>10</sup>

Epson printer driver, Document Capture Pro

Ink Type DURABrite Ultra pigment ink Ink Palette Cyan, Magenta, Yellow and Black

Ink Pack Configuration 4 individual ink packs Replacement Ink Packs<sup>2</sup> T902 Black, Cyan, Magenta, Yellow (Yield, ISO pages – Black: 3,000, Color: 3,000)

T902XL Black, Cyan, Magenta, Yellow (Yield, ISO pages -Black: 5.000. Color: 5.000)

T902XXL Black (Yield, ISO pages – Black: 10,000) Printer is designed for use with Epson ink packs only, not third-party ink systems\*.

#### **Eco Features**

Save up to 50% of your paper supply with auto 2-sided printing/copying

**ENERGY STAR qualified** 

RoHS compliant

Recyclable product11

Epson America, Inc. is a SmartWay® Transport Partner12

#### **Ordering Information**

WorkForce Pro WF-C5710 C11CG03201 Maintenance Box T671600 Optional Input Tray C12C932871

\*This product uses only genuine Epson-brand ink packs. Other brands of ink supplies are not compatible and, even if described as compatible, may not function properly

This product uses only genuine Epson-brand ink packs. Other brands of ink supplies are not compatible and, even if described as compatible, may not function properly.

† Black and color print speeds are measured in accordance with ISO/IEC 24734. Actual print times will vary based on factors including system configuration, software, and page complexity. For more information, visit www.epson.com/printspeed | †† Maximum print speeds are measured with text patterns in Draft Mode on plain paper. Actual print times will vary based on factors including system configuration, software, and page complexity. | ††† Black and color copy speeds (cpm) are determined in default, single-side mode, in accordance with ISO/IEC 29183. Actual copy times will vary based on factors including system configuration and page complexity. For more information, visit www.epson.com/copyspeed | † Compared with best-selling, color laser printers priced at \$499 (USD) or less and 30 ppm or less, as of October 2017. Calculation based on continuous printing with highest-capacity individual cartridges. Actual savings will vary based on print task and use conditions. | 2 Replacement ink pack yields are estimated based on ISO/IEC 24711 test in Default Mode printing continuously. Ink pack yields vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink color. All ink colors are used for printing and printer maintenance, and all colors have to be installed for printing. For print quality, part of the ink from the included ink packs is used for printer startup and a variable amount of ink remains in the ink pack after the "replace ink pack" signal. For details, see www.epson.com/inkinfol | 3 Monthly duty cycle up to 45,000 is the highest duty a user could expect in a month, based on near-constant operation of a device of this kind. It is not recommended that the device be run at this duty. For best device performance, run the device at the

See the latest innovations from Epson Business Solutions at www.epson.com/forbusiness

#### Better Products for a Better Future eco.epson.com





**Epson Canada Limited** Epson America, Inc. 3840 Kilroy Airport Way, Long Beach, CA 90806 185 Renfrew Drive, Markham, Ontario L3R 6G3

www.epson.com

Specifications and terms are subject to change without notice. EPSON, DURABrite, PrecisionCore and WorkForce are registered trademarks, EPSON Exceed Your Vision is a registered logomark and Better Products for a Better Future, Epson Connect and Epson iPrint are trademarks of Seiko Epson Corporation. AirPrint, Apple, Mac and OS X are trademarks of Apple Inc., registered in the U.S. and other countries. Google Cloud Print is a trademark of Google Inc. Windows Server and Windows Visita are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Wi-Fi Direct® is a registered trademark and Wi-Fi CERTIFIED™ is a trademark of Wi-Fi Alliance®. SmartWay is a registered trademark of the U.S. Environmental Protection Agency. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. Copyright 2018 Epson America, Inc. Com-SS-Oct-13 CPD-55042R1 2/18