

# WorkForce® Pro WF-C5790



# At a glance

## WorkForce® Pro WF-C5790



Wireless



Print




Copy



Scan



Fax



Ethernet

### Additional features

- ✓ Powered by PrecisionCore®
- ✓ Up to 45% lower total printing costs<sup>1</sup>
- ✓ Small footprint
- ✓ 24 ISO ppm (bk/clr)<sup>2</sup>
- ✓ Fast first page out; no warmup
- ✓ 50-page ADF; fast scans
- ✓ Auto 2-sided print/copy/scan/fax
- ✓ PCL\*/PostScript® 3™ support
- ✓ Printer security features
- ✓ Replaceable Ink Pack System

### Ink packs



T902XL Series Genuine Epson® ink packs  
*Printer designed for use exclusively with Epson ink packs.*



- <sup>1</sup> Compared with best-selling, color laser printers priced at \$499 (USD) or less and 30 ppm or less, as of October 2017. Calculation based on continuous printing with highest-capacity individual cartridges. Actual savings will vary based on print task and use conditions.
- <sup>2</sup> Black and color print speeds are measured in accordance with ISO/IEC 24734. Actual print times will vary based on factors including system configuration, software, and page complexity. For more information, visit [www.epson.com/printspeed](http://www.epson.com/printspeed)

**\*SCROLL DOWN TO “FROM THE MANUFACTURER” TO LEARN MORE.**

# WorkForce® Pro WF-C5790



# Replacement ink packs — print up to **10,000 pages black / 5,000 color**<sup>1</sup>



<sup>1</sup> Replacement ink pack yields are estimated based on ISO/IEC 24711 test in Default Mode printing continuously. Ink pack yields vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink color. All ink colors are used for printing and printer maintenance, and all colors have to be installed for printing. For print quality, part of the ink from the included ink packs is used for printer startup and a variable amount of ink remains in the ink pack after the "replace ink pack" signal. For details, see [www.epson.com/inkinfo](http://www.epson.com/inkinfo)



# WorkForce® Pro WF-C5790 Color MFP Supertank Printer

Wireless | Print | Copy | Scan | Fax | Ethernet | PCL<sup>1</sup>/PS3



Multifunction Supertank

## The color MFP supertank printer with up to 2 years of ink in the box<sup>2</sup>

**Powered by PrecisionCore® printing technology** — delivers laser-quality black text; plus, Epson's innovative Replaceable Ink Pack System

**Easy on your budget** — save up to 40 percent on low-cost replacement ink packs vs. color laser toner<sup>3</sup>

**Cartridge-Free Printing** — comes with up to 2 years of ink in the box<sup>2</sup>

**Includes enough ink to print up to 20,000 pages black/15,000 color<sup>4</sup>** — for fewer user interventions

**Fast print speeds; no warmup time** — 24 ISO ppm (black/color)<sup>†</sup>; plus, fast first page out

**Do more** — 50-page duplex Automatic Document Feeder; auto 2-sided print, copy, scan and fax; fast scan speeds; Document Capture Pro software included

**Open-platform ready** — seamless integration with enterprise applications such as PaperCut MF and other workflows; supports PCL<sup>1</sup> and PostScript® 3™

**Security features** — PIN number certification for job release; user control access; printer and network settings via Web Config with printer's IP address; SSL/TLS security; IPsec

**Change paper less often** — up to 830 sheets total paper capacity with optional second paper tray

**Enabled for remote printer data collection** — compatible with MPS software solutions from PrintFleet®, ECI (FMAudit®) and others

*Designed for use exclusively with Epson® ink packs\*.*

**Print**

**Print Technology** PrecisionCore 4S printhead 4-color inkjet  
**Printer Language** Epson ESC/P<sup>®</sup>-R, PCL 5 emulation<sup>1</sup>, PCL 6 emulation<sup>1</sup>, PostScript 3 emulation  
**Maximum Print Resolution** 4800 x 1200 optimized dpi  
**ISO Print Speed<sup>†</sup>** 24 ISO ppm (black), 24 ISO ppm (color)  
**2-Sided ISO Print Speed<sup>††</sup>** 15 ISO ppm (black), 15 ISO ppm (color)  
**Maximum Draft Print Speed<sup>†††</sup>** 34 ppm (black), 34 ppm (color)  
**Minimum Ink Droplet Size** As small as 3.8 picoliters  
**Duty Cycle<sup>‡</sup>** Up to 45,000 pages (Recommended monthly page volume: up to 2,500 pages)

**Mobile Printing**

**Epson Connect<sup>™</sup> Solutions<sup>®</sup>** Epson Email Print, Epson iPrint<sup>™</sup> Mobile App, Epson Remote Print  
**Other** Apple<sup>®</sup> AirPrint<sup>®</sup>, Google Cloud Print<sup>™</sup>, Fire<sup>™</sup> OS

**Copy**

**ISO Copy Speed<sup>†††</sup>** 22 ISO cpm (black), 22 ISO cpm (color)  
**Copy Quality** Color/Black-and-White: Standard/Best  
**Copy Quantity** 1 – 999 (PC-free)  
**Maximum Copy Size** 8.5" x 14"  
**Copy Features** Auto 2-sided, Preview, Resize, ID Copy, Collate, Adjustable Copy Density, Remove Punched Holes, Remove Shadows

**Scan**

**Scanner Type** Color flatbed/Auto 2-sided ADF  
**Photoelectric Device** Color CIS line sensor  
**Scanned Size** 8.5" x 14"  
**Optical Resolution** 1200 dpi  
**Hardware Resolution** 1200 x 2400 dpi  
**Maximum Resolution** 9600 dpi interpolated  
**Scanner Bit Depth** 48-bit color input/24-bit color output  
**Scan Features** Scan to PC via Document Capture Pro, Scan to Cloud<sup>†</sup> (including email), Memory Device, Scan to Network Folder, Password Protected PDFs

**Fax**

Black-and-white and color  
**Modem:** 33.6 Kbps – as fast as 3 sec per page  
**Memory:** Up to 550 pages  
**Speed Dials:** 200 (max.)  
 PC-Fax

**Security**

**Security Features** PIN number certification for job release, user control access, printer and network settings via Web Config using printer's IP address, SSL/TLS security, IPsec

**Connectivity**

**Standard Connectivity**  
 Hi-Speed USB (compatible with USB 2.0 specification)  
 Wireless LAN IEEE (802.11 b/g/n)<sup>9</sup>  
 Wired Ethernet (1000 Base-T/100 Base-TX/10 Base-T)  
 Wi-Fi Direct<sup>®8</sup>

**Connectivity (continued)**

**Network Protocols** TCP/IP v4/v6  
**Network Printing Protocols** IPP, LDP, Port 9100, WSD  
**Network Management Protocols** SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, Ping, SLP, WSD, LLTD  
**WLAN Security** WEP 64 Bit, WEP 128 Bit, WPA PSK (AES)

**Auto Document Feeder**

35 pages

**Operating Systems**

Windows<sup>®</sup> 10 (32-bit, 64-bit), Windows 8 (32-bit, 64-bit), Windows 7 (32-bit, 64-bit), Windows Vista<sup>®</sup> (32-bit, 64-bit), Windows XP SP3 (32-bit), Windows XP Professional x64 Edition, Windows Server<sup>®</sup> 2012 R2<sup>9</sup>, Windows Server 2012<sup>9</sup>, Windows Server 2008 R2<sup>9</sup>, Windows Server 2008<sup>9</sup>, Windows Server 2003 R2<sup>9</sup>, Windows Server 2003<sup>9</sup>, Mac<sup>®</sup> OS X<sup>®</sup> 10.5.8 – 10.11.x<sup>10</sup>  
 Mac OS X Server<sup>10</sup>

**Solutions**

Open Platform-compatible with third-party software

**Paper Handling**

**PC-free Paper Support** Plain (Letter, A4), Photo (Letter, A4, 8" x 10", 5" x 7", 4" x 6")  
**Maximum Paper Size** 8.5" x 47.2"  
**Paper Sizes** 3.5" x 5", 4" x 6", 5" x 7", 8" x 10", 8.5" x 11", 8.5" x 14", A4, A6, half letter, executive, user definable (3" x 5" – 8.5" x 47")  
**Paper Types** Plain paper, Epson Bright White Pro Paper, Epson Presentation Paper Matte, Epson Premium Presentation Paper Matte, Epson Premium Presentation Paper Matte Double-sided, Epson Photo Glossy, Epson Premium Photo Paper Glossy, Epson Ultra Premium Photo Paper Glossy, Epson Premium Photo Paper Semi-gloss  
**Envelope Types** No. 10  
**Input Paper Capacity** 830 sheets plain paper (250 sheets plain paper x 1 tray), 500 sheets plain paper optional tray, Rear feed: 80 sheets, 10 envelopes

**General**

**Display** 4.3" color touchscreen  
**Temperature**  
 Operating: 50 ° to 95 °F (10 ° to 35 °C)  
 Storage: -4 ° to 104 °F (-20 ° to 40 °C)  
**Relative Humidity**  
 Operating: 20 – 80%  
 Storage: 5 – 85% (no condensation)  
**Sound Level**  
 Power: 6.6 dB(A)  
 Pressure: 54 dB(A)  
**Rated Voltage** AC 100 – 240 V Universal (Automatic)  
**Rated Frequency** 50 – 60 Hz  
**Rated Current** 0.9 A – 0.5 A

**General (continued)**

**Power Consumption**  
 Standalone: Approx. 25 W ISO 24712  
 Standby: Approx. 12 W  
 Sleep: Approx. 1.5 W  
 Power Off: Approx. 0.2 W  
**Typical Energy Consumption (TEC)<sup>††</sup>** 0.2 kWh  
**Safety Approvals** Safety standards UL60950, CSA C22.2 No. 60950 EMI FCC Part 15 subpart B class B, CAN/CSA-CEI/IEC CISPR 22 class B  
**Telecom Regulations** FCC Part 68 (U.S.A.), IC/CS03 (Canada)  
**Country of Origin** Indonesia  
**Weight and Dimensions (W x D x H)**  
 Printing: 16.7" x 22.8" x 17.7"  
 Storage: 16.7" x 21.1" x 14.1"  
 Weight: 41.2 lb  
**Warranty<sup>‡‡</sup>** Standard 2-year limited warranty in the U.S. and Canada

**What's in the Box**

Epson WorkForce Pro WF-C5790 multifunction printer, power cord, DURABrite<sup>®</sup> Ultra Ink packs<sup>4</sup> – 4 T902 initial ink packs: Black, Cyan, Magenta, Yellow, 2 T902XXL Black, T902XL 3 Cyan, 3 Magenta, 3 Yellow

**Software Included<sup>‡‡‡</sup>**

Epson printer driver, PCL 5 driver emulation<sup>1</sup>, PCL 6 driver emulation<sup>1</sup>, PostScript 3 emulation, Document Capture Pro

**Ink**

**Ink Type** DURABrite Ultra pigment ink  
**Ink Palette** Cyan, Magenta, Yellow and Black  
**Ink Pack Configuration** 4 individual ink packs  
**Replacement Ink Packs<sup>4</sup>** T902 Black, Cyan, Magenta, Yellow (Yield, ISO pages – Black: 3,000, Color: 3,000)  
 T902XL Black, Cyan, Magenta, Yellow (Yield, ISO pages – Black: 5,000, Color: 5,000)  
 T902XXL Black (Yield, ISO pages – Black: 10,000)  
**Initial Ink Pack<sup>4</sup>** Black, Cyan, Magenta, Yellow (Yield, ISO pages – Black: 900, Color: 800)  
 Printer is designed for use with Epson ink packs only, not third-party ink systems\*.

**Eco Features**

Uses up to 75% less power than color laser printers<sup>14</sup>  
 Save up to 50% of your paper supply with auto 2-sided printing/copying  
 ENERGY STAR<sup>®</sup> qualified  
 RoHS compliant  
 Recyclable product<sup>15</sup>  
 Epson America, Inc. is a SmartWay<sup>®</sup> Transport Partner<sup>16</sup>

**Ordering Information**

WorkForce Pro WF-C5790 Color MFP Supertank Printer	C11CG02201-LB
Maintenance Box	T671600
Optional Input Tray	C12C932871

\*This product uses only genuine Epson-brand ink packs. Other brands of ink supplies are not compatible and, even if described as compatible, may not function properly. | † Black and color print speeds are measured in accordance with ISO/IEC 24734. Actual print times will vary based on factors including system configuration, software, and page complexity. | †† Maximum print speeds are measured with text patterns in Draft Mode on plain paper. Actual print times will vary based on factors including system configuration, software, and page complexity. | ††† Black and color copy speeds are determined in accordance with ISO/IEC 29183. Actual copy times will vary based on factors including system configuration and page complexity. For more information, visit [www.epson.com/copyspeed](http://www.epson.com/copyspeed) | 1 Not all media types are supported for PCL printing. | 2 Based on average monthly document print volumes of about 500 pages. | 3 Actual savings will vary based on print tasks, print volumes and usage conditions. Savings comparison based on the purchase cost of replacement ink packs and the cost of enough color toner cartridges to achieve the total page yields of the ink packs using the manufacturers' online prices and yields for the highest-capacity toner cartridges for the best-selling similarly featured color laser printers priced at \$999 (USD) or less with speeds of 40 ppm or less per industry-available data as of July 2019. | 4 Ink pack yields are estimated based on ISO/IEC 24711 test in Default Mode printing continuously. Ink pack yields vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink color. All ink colors are used for printing and printer maintenance, and all colors have to be installed for printing. For print quality, part of the ink from the included ink packs is used for printer startup and a variable amount of ink remains in the ink pack after the "replace ink pack" signal. For details, see [www.epson.com/inkinfo](http://www.epson.com/inkinfo) | 5 Monthly duty cycle up to 45,000 is the highest duty a user could expect in a month, based on near-constant operation of a device of this kind. It is not recommended that the device be run at this duty. For best device performance, run the device at the recommended duty of 2,500 pages per month. | 6 Most features require an Internet connection to the printer, as well as an Internet- and/or email-enabled device. For a list of Epson Connect enabled printers and compatible devices and apps, visit [www.epson.com/connect](http://www.epson.com/connect) | 7 Requires an Internet connection, a free Epson Connect account and a destination email address or cloud storage account. For a list of supported cloud services, visit [www.epson.com/connect](http://www.epson.com/connect) | 8 Wi-Fi CERTIFIED<sup>™</sup>; level of performance subject to the range of the router being used. Wi-Fi Direct may require printer software. | 9 Only printing and scanning are supported under Windows Server OS. | 10 Some applications and/or functions may not be supported under Mac OS X. | 11 Based on ENERGY STAR TEC measurement methodology; 288 prints/day; actual electricity consumption may vary depending on printer use. For more information, see [www.energystar.gov](http://www.energystar.gov) | 12 As of October 1, 2019, this product comes with a standard 2-year limited warranty. Please visit [www.epson.com/support](http://www.epson.com/support) for more details. | 13 Internet access is required to install OS X drivers and software. | 14 Compared to similarly featured color laser printers priced at \$999 (USD) or less and 40 ppm or less based on industry available data as of July 2019. Actual power savings will vary by product model and usage. | 15 For convenient and reasonable recycling options, visit [www.epson.com/recycle](http://www.epson.com/recycle) | 16 SmartWay is an innovative partnership of the U.S. Environmental Protection Agency that reduces greenhouse gases and other air pollutants and improves fuel efficiency, greenhouse gases and other air pollutants and improves fuel efficiency.

See the latest innovations from Epson Business Solutions at [www.epson.com/forbusiness](http://www.epson.com/forbusiness)

<b>Epson America, Inc.</b> 3840 Kilroy Airport Way, Long Beach, CA 90806	<b>Epson Canada Limited</b> 185 Renfrew Drive, Markham, Ontario L3R 6G3	<b>www.epson.com</b> <b>www.epson.ca</b>
---	--	---

Specifications and terms are subject to change without notice. EPSON, DURABrite, Epson ESC/P, PrecisionCore and WorkForce are registered trademarks, EPSON Exceed Your Vision is a registered logomark and Better Products for a Better Future, Epson Connect and Epson iPrint are trademarks of Seiko Epson Corporation. AirPrint, Apple, Mac and OS X are trademarks of Apple Inc., registered in the U.S. and other countries. Google Cloud Print is a trademark of Google LLC. Windows, Windows Server and Windows Vista are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Wi-Fi Direct<sup>®</sup> is a registered trademark and Wi-Fi CERTIFIED<sup>™</sup> is a trademark of Wi-Fi Alliance<sup>®</sup>. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. Copyright 2019 Epson America, Inc. Com-SS-Oct-13 CPD-58175 10/19