

WorkForce® Pro WF-C8690



*Shown with optional
paper trays. Sold separately.*

In the box

WorkForce® Pro WF-C8690



Multifunction Printer



912 DURABrite® Pro Series
Genuine Epson® initial ink cartridges¹

*Printer designed for use exclusively with
Epson Ink cartridges*.*



Power cord

(USB cable not included)

¹ The ink cartridges included with the printer are designed for printer setup and not for resale. After some ink is used for priming, the rest is available for printing.

***SCROLL DOWN TO "FROM THE MANUFACTURER" TO LEARN MORE.**

At a glance


WorkForce® Pro WF-C8690




Wireless



Print




Copy



Scan



Fax



Ethernet

Additional features

- ✓ Powered by PrecisionCore®
- ✓ Saves up to 35% on printing costs¹
- ✓ Up to 1,830-sheet capacity²
- ✓ Up to 13" x 19"; auto duplex
- ✓ 24 ISO ppm (black/color)³
- ✓ Fast first page out; no warmup
- ✓ PCL*/PostScript® & ISV support
- ✓ Fast scan speeds
- ✓ Up to 75,000-pg./mo. duty cycle⁴
- ✓ Printer security features



912XXL Extra High-capacity
Genuine Epson® Ink cartridges
*Printer designed for use exclusively
with Epson Ink cartridges*.*



- ¹ Based on printing costs with the WF-C8190 and WF-C8690 printers and highest-capacity replacement ink compared with the costs of printing equivalent ISO pages with best-selling, similarly featured A3 color laser printers priced at \$2,499 USD or lower with speeds of 30 ppm or lower as of December 2017. Toner and ink costs based on manufacturer's highest-capacity yields and pricing; printer costs based on average selling price per industry-available data as of December 2017. Actual savings will vary based on usage conditions.
- ² Standard paper capacity of 330 sheets; up to 1,830-sheet capacity with three optional 500-sheet paper trays.
- ³ Black and color print speeds are measured in accordance with ISO/IEC 24734. Actual print times will vary based on factors including system configuration, software, and page complexity. For more information, visit www.epson.com/printspeed
- ⁴ Monthly duty cycle up to 75,000 is the highest duty a user could expect in a month, based on near-constant operation of a device of this kind. It is not recommended that the device be run at this duty. For best device performance, run the device at the recommended duty of 7,000 pages a month.

***SCROLL DOWN TO "FROM THE MANUFACTURER" TO LEARN MORE.**

WorkForce® Pro WF-C8690

Powered by
PrecisionCore®

5" color
touchscreen

85-sheet
rear tray



Up to 1,830-sheet
paper capacity
With optional paper trays.
Sold separately.

Auto 2-sided
printing

IT Admin
Tools

Replacement ink cartridges — print up to **11,000 pages black / 8,000 color**¹



¹ Replacement cartridge yields are based on ISO/IEC 24711 tests in Default Mode printing continuously. Cartridge yields vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink color. All ink colors are used for printing and printer maintenance, and all colors have to be installed for printing. For print quality, part of the ink from the included cartridges is used for printer startup and a variable amount of ink remains in the cartridges after the “replace cartridge” signal. For details, see www.epson.com/inkinfo

WorkForce® Pro WF-C8690

Wireless | Print | Copy | Scan | Fax | Ethernet | PCL¹/PS



Powered by

PRECISIONCORE®

Multifunction

Workgroup

Workgroup A3 color multifunction printer that drives productivity.

Powered by PrecisionCore® — the next generation of inkjet printing technology

Easy on your budget — save up to 35 percent on printing costs vs. color laser²

Replace paper less often — up to 1,830-sheet capacity³; prints up to 13" x 19"; features auto duplexing and auto media size detection

Fast output; no warmup time — 24 ISO ppm (black/color)[†]; plus, fast first page out

Manage your printer fleet and keep costs in check — compatible with ISV and third-party software solutions for managing usage limitations, user authentication and more; supports PCL¹ and PostScript®

Fast scan speed — up to 40 ppm (duplex)⁴

Duty cycle — up to 75,000-page maximum monthly duty cycle⁵

Security features — PIN number certification for job release; user control access; printer and network settings via Web Config with printer's IP address; SSL/TLS security; IPsec

Minimize your interventions — high-yield cartridges let you print up to 8,000 ISO color pages before changing the ink cartridges⁶

Enabled for remote printer data collection — compatible with MPS software solutions from PrintFleet®, Eci (FMAudit®) and others

Designed for use exclusively with Epson cartridges.*

Print

Printing Technology PrecisionCore 4S printhead 4-color inkjet
Printer Language Epson ESC/P[®]-R, PCL 5 emulation¹, PCL 6 emulation¹, Adobe[®] PostScript[®] 3[™]
Max. Print Resolution 4800 x 1200 optimized dpi
ISO Print Speed[†] Black 24 ISO ppm/Color 24 ISO ppm
Auto 2-sided ISO Print Speed[†] Black 16 ISO ppm/Color 16 ISO ppm
Max. Draft Print Speed^{††} Black 35 ppm/Color 35 ppm
Min. Ink Droplet Size 3 droplet sizes, as small as 3.7 picoliters
Duty Cycle[‡] Up to 75,000 pages (Recommended monthly page volume: up to 7,000 pages)

Mobile Printing and Scanning

Epson Connect[™] Epson Email Print, Epson iPrint[™] Mobile App, Epson Remote Print
Other Apple[®] AirPrint[®], Google Cloud Print[™], Fire[™] OS

Copy

ISO Copy Speed^{†††} Black 22 ISO cpm/Color 21 ISO cpm
Copy Quality Color/Black-and-White: Text/Text and Image Standard/Best
Copy Quantity 1 – 999 (PC-free)
Max. Copy Size 11.7" x 17"
Copy Features Auto 2-sided, Preview, Resize, Collate, Adjustable Copy Density

Scan

Scanner Type Color flatbed/Auto 2-sided ADF
Photoelectric Device Color CIS line sensor
Scanned Size 17" x 11.7"
Optical Resolution 1200 dpi
Hardware Resolution 1200 x 2400 dpi
Max. Resolution 9600 x 9600 dpi interpolated
Scanner Bit Depth 30-bit color input/24-bit color output
Scan Features Scan to PC via Document Capture Pro, Scan to Cloud[®] (including email), Memory Device, Password Protected PDFs, Address Book via LDAP

Fax

Black-and-white and color
 Modem: 33.6 Kbps — as fast as 3 sec per page
 Memory: Up to 550 pages
 Speed dials: 200 (max.)
Fax Features PC-Fax, Auto Redial, Address Book, Delay Send, Broadcast Fax

Security

Security Features
 PIN number certification for job release, user control access, printer and network settings via Web Config using printer's IP address, SSL/TLS security, IPsec

Connectivity

Standard Connectivity
 SuperSpeed USB (compatible with USB 3.0 specification)
 Wireless LAN IEEE (802.11 b/g/n)⁹
 Wired Ethernet (1000 Base-T/100 Base-TX/10 Base-T)
 Wi-Fi Direct^{®9}
Network Protocols TCP/IP v4/v6
Network Printing Protocols IPP, LPD Port 9100, WSD
Network Management Protocols SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNT, Ping, SLIP, WSD, LLTD
WLAN Security WEP 64-bit, WEP 128-bit, WPA PSK (AES)
Operating Systems Windows[®] 10 (32-bit, 64-bit), Windows 8/8.1 (32-bit, 64-bit), Windows 7 (32-bit, 64-bit), Windows Vista[®] (32-bit, 64-bit), Windows Server[®] 2016¹⁰ (32-bit, 64-bit), Windows Server 2012 R2¹⁰, Windows Server 2012¹⁰, Windows Server 2008 R2¹⁰, Windows Server 2008¹⁰, Windows Server 2003 R2¹⁰, Windows Server 2003 SP2¹⁰, Mac[®] OS X[®] 10.6.8 – macOS[®] 10.13.x¹¹

Paper Handling

PC-free Paper Support 3.5" x 5", 4" x 6", 5" x 7", Letter, Legal, 11" x 17", A3, A4, A5, A6, B5
Max. Paper Size 13" x 47.5"
Paper Sizes 3.5" x 5", 4" x 6", 5" x 7", 8" x 10", 8.5" x 11", 8.5" x 14", A3, A4, A5, A6, B4, B5, half letter, executive, 11" x 17", 13" x 19", user definable (3.5" – 47.2" in length)
Paper Types Plain paper, Epson[®] Bright White Paper, Epson Presentation Paper Matte, Epson Premium Presentation Paper Matte, Epson Premium Presentation Paper Matte Double-sided, Epson Photo Paper Glossy, Epson Premium Photo Paper Glossy, Epson Ultra Premium Photo Paper Glossy, Epson Premium Photo Paper Semi-gloss, Epson Ultra Premium Photo Paper Luster, Epson Brochure & Flyer Paper Matte
Envelope Types No. 10, plain paper, bond paper, air mail
Input Paper Capacity 750 sheets plain paper (250 sheets plain paper x 1 tray, 500 sheets plain paper x 1 tray),
 Rear feed: 85 sheets
 (1,835 sheets total with two optional 500-sheet paper trays)
 10 envelopes
 Auto Document Feeder: 50 sheets

General

Display 5" color touchscreen
Temperature
 Operating: 50° to 95 °F (10° to 35 °C)
 Storage: -4° to 104 °F (-20° to 40 °C)
Relative Humidity
 Operating: 20 – 80%
 Storage: 5 – 85% (no condensation)
Sound Level
 Power: 6.8 dB(A)
 Pressure: 51 dB(A)
Rated Voltage AC 100 – 240 V Universal (Automatic)
Rated Frequency 50 – 60 Hz
Rated Current 1.3A – 0.7 A

General (continued)

Power Consumption
 Approx. 39 W ISO 24712 (Standalone copy printing)
 Approx. 18 W (Standby)
 Approx. 1.4 W (Sleep)
 Approx. 0.25 W (Power off)
 ENERGY STAR[®] qualified
Typical Energy Consumption (TEC)¹² 0.2 kWh
Safety Approvals
 Safety standards UL60950, CSA C22.2 No. 60950
 EMI FCC Part 15 subpart B class B
 CAN/CSA-CEI/IEC CISPR 22 class B
Telecom Regulations FCC Part 68 (U.S.A.), IC/CS03 (Canada)
Country of Origin Indonesia
Weight and Dimensions (W x D x H)
 Printing: 24.1" x 34.1" x 22.5"
 Storage: 24.1" x 29.7" x 19.4"
 Weight: 101.0 lb
What's in the Box Epson WorkForce Pro WF-C8690 network multifunction color printer, power cord, DURABrite[®] Pro Ink Cartridges[®] – Four 912 series initial ink cartridges: Black, Cyan, Magenta, Yellow
Software Available¹³
 Epson printer driver, PCL 5 driver emulation¹, PCL 6 driver emulation¹, Adobe PostScript 3, Document Capture Pro
Warranty 1-year limited warranty in the U.S. and Canada

Ink

Ink Type DURABrite Pro pigment ink
Ink Palette Cyan, Magenta, Yellow and Black
Ink Pack Configuration 4 individual ink cartridges
Replacement Ink Cartridges[®]
 912 Standard-capacity Black, Cyan, Magenta, Yellow (Yield, ISO pages – Black: 2,900, Color: 1,700)
 912 High-capacity Black, Cyan, Magenta, Yellow (Yield, ISO pages – Black: 5,800, Color: 4,600)
 912 Extra High-capacity Black, Cyan, Magenta, Yellow (Yield, ISO pages – Black: 11,500, Color: 8,000)
 Printer is designed for use with Epson ink cartridges only, not third-party ink systems^{*}.

Eco Features

Uses up to 85% less power than laser printers¹⁴
 Save up to 50% of your paper supply with auto 2-sided printing
 ENERGY STAR qualified
 RoHS compliant
 Recyclable product¹⁵
 Epson America, Inc. is a SmartWay[®] Transport Partner¹⁶

Ordering Information

WorkForce Pro WF-C8690	C110G68201
Optional 500-sheet paper cassette	C12C932611
Optional cabinet	C12C932891
Optional authentication device table	C12C932921
Maintenance box	T671400
Optional retractable output tray	C12C934171

*This product uses only genuine Epson-brand cartridges. Other brands of ink cartridges and ink supplies are not compatible and, even if described as compatible, may not function properly.

† Black and color print speeds are measured in accordance with ISO/IEC 24734. Actual print times will vary based on factors including system configuration, software, and page complexity. For more information, visit www.epson.com/printspeed | †† Maximum print speeds are measured with text patterns in Draft Mode on plain paper. Actual print times will vary based on factors including system configuration, software, and page complexity. | ††† Black and color copy speeds are determined in accordance with ISO/IEC 29183. Actual copy times will vary based on factors including system configuration and page complexity. For more information, visit www.epson.com/copyspeed | 1 Not all media types are supported for PCL printing. | 2 Based on printing costs with the WF-C8190 and WF-C8690 printers and highest-capacity replacement ink compared with the costs of printing equivalent ISO pages with best-selling, similarly featured A3 color laser printers priced at \$2,499 USD or lower with speeds of 30 ppm or lower as of December 2017. Toner and ink costs based on manufacturer's highest-capacity yields and pricing; printer costs based on average selling price per industry-available data as of December 2017. Actual savings will vary based on usage conditions. | 3 Standard paper capacity of 330 sheets; up to 1,830-sheet capacity with three optional 500-sheet paper trays. | 4 Based on 200 dpi, letter-size, in black-and-white or color. | 5 Monthly duty cycle up to 75,000 is the highest duty a user could expect in a month, based on near-constant operation of a device of this kind. It is not recommended that the device be run at this duty. For best device performance, run the device at the recommended duty of 7,000 pages a month. | 6 Replacement cartridge yields are based on ISO/IEC 24711 tests in Default Mode printing continuously. Cartridge yields vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink color. All ink colors are used for printing and printer maintenance, and all colors have to be installed for printing. For print quality, part of the ink from the included cartridges is used for printer startup and a variable amount of ink remains in the cartridges after the "replace cartridge" signal. For details, see www.epson.com/inkinfo | 7 Most features require an Internet connection to the printer, as well as an Internet-and/or email-enabled device. For a list of Epson Connect enabled printers and compatible devices and apps, visit www.epson.com/connect | 8 Requires an internet connection, a free Epson Connect account and a destination email address or cloud storage account. For a list of supported cloud services, visit www.epson.com/connect | 9 Wi-Fi CERTIFIED[™]; level of performance subject to the range of the router being used. Wi-Fi Direct may require printer software. | 10 Only printing and scanning are supported under Windows Server OS. | 11 Some applications and/or functions may not be supported under Mac OS X. | 12 Based on ENERGY STAR TEC measurement methodology; 288 prints/day; actual electricity consumption may vary depending on printer use. For more information, see www.energystar.gov | 13 Internet access is required to install OS X drivers and software. | 14 Compared with similarly featured A3 color laser printers priced at \$2,499 USD or lower with speeds of 30 ppm or lower as of December 2017. Actual power savings will vary by product model and usage. | 15 For convenient and reasonable recycling options, visit www.epson.com/recycle | 16 SmartWay is an innovative partnership of the U.S. Environmental Protection Agency that reduces greenhouse gases and other air pollutants and improves fuel efficiency.

See the latest innovations from Epson Business Solutions at www.epson.com/forbusiness

Better Products for a Better Future[®]
eco.epson.com



Epson America, Inc.
 3840 Kilroy Airport Way, Long Beach, CA 90806

Epson Canada Limited
 185 Renfrew Drive, Markham, Ontario L3R 6G3

www.epson.com
www.epson.ca

Specifications and terms are subject to change without notice. EPSON, DURABrite, Epson ESC/P, PrecisionCore and WorkForce are registered trademarks, EPSON Exceed Your Vision is a registered logomark and Better Products for a Better Future, Epson Connect and Epson iPrint are trademarks of Seiko Epson Corporation. AirPrint, Apple, Mac, macOS and OS X are trademarks of Apple Inc., registered in the U.S. and other countries. Google Cloud Print is a trademark of Google Inc. Windows, Windows Server and Windows Vista are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Wi-Fi Direct[®] is a registered trademark and Wi-Fi CERTIFIED[™] is a trademark of Wi-Fi Alliance[®]. SmartWay is a registered trademark of the U.S. Environmental Protection Agency. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. Copyright 2018 Epson America, Inc. Com-SS-Oct-13 CPD-55259 4/18