



Or your additional ink bottles are on Epson

Promo valid for ST-2000, ST-3000, & ST-4000 printers through authorized Epson resellers only from 4/1/19 to 9/30/19. Product must be registered before 10/31/19. I Limit 8 additional bottles of 502 inks per printer. Max 8 claims per printer. Each claim cannot contain multiple bottles of the same color. I Based on avg monthly document print volumes of about 200 pgs for ST-2000 & 400 pgs for ST-3000 & ST-4000. I Promo applies to ink only. Printer covered by Epson 1-year Itd warranty of 12 months or 30,000 (ST-2000) or 50,000 (ST-3000, ST-4000) plain paper sheets (whichever happens first). For promo participation and additional 12-month extended service plan (total of 24 months or 30,000 (ST-2000) or 50,000 (ST-3000, ST-4000) plain paper sheets, whichever happens first), you must register your product and use Epson genuine ink bottles. See Limited Warranty for details. I Must submit ink receipts as proof of purchase to claim additional ink bottles, dated no later than 2 years after printer purchase date or 9/30/21, whichever comes first. I Must submit a Usage History Sheet showing serial number and pages printed with each claim request.







WorkForce ST-3000
WEELES (PROT) COPY (SOM) EINERNET
SANS FE, IMPRESSON (COPE) (NAVERGALOW) EINERNET
RALAMBROCA (IMPROME) COPIA (ESCANEA) EINERNET











CAD de 30 pages, capacité de 150 feuilles et impression recto verso automatique

Faciles à remplir – réservoirs d'encre intégrés de format géant et de faible encombrement

2.4" color LCD Écran ACL couleur de 6,1 cm



Built-in wireless, Wi-Fi Direct' & Ethernet







## WorkForce® ST-3000 EcoTank® Color MFP Supertank Printer

Wireless | Print | Copy | Scan | ADF | Ethernet





# The wireless EcoTank color MFP with Cartridge-Free Printing and ADF.

**Cartridge-free printing** — comes with up to 2 years of ink in the box<sup>1</sup>

Includes enough ink to print up to 14,000 pages black/11,200 color<sup>2</sup> — equivalent to about 30 ink cartridge sets<sup>3</sup>

Save up to 80 percent with low-cost replacement ink bottles vs. ink cartridges<sup>4</sup> — plus easy-to-fill, supersized ink tanks

Efficient — 30-sheet Auto Document Feeder; fast auto 2-sided printing

**Versatile** — 150-sheet paper capacity, borderless printing up to 8.5" x 11"

**Powered by PrecisionCore® printing technology** — delivers laser-quality black text

**Large 2.4" color LCD** — easy setup and navigation

**Complete wireless solution** — easily print from iPad®, iPhone®, Android™ tablets and smartphones⁵; includes Wi-Fi Direct®6 plus Ethernet

**Exclusive auto-stop ink bottles** — uniquely keyed for easy filling of each color

**Product protection you can count on** - 2-year limited warranty with registration<sup>7</sup>



Replacement ink bottles



\*The NPD Group, Inc., Total Channel Tracking Service, U.S. & Canada, Printers, Refillable ink tank included, based on units, August 2017 – July 2018. Supertank printers are defined as refillable ink tank printers.

1 Based on average monthly document print volumes of about 300 pages.



## WorkForce® ST-3000 EcoTank® Color MFP Supertank Printer

#### Print

Printing Technology 4-color (CMYK), drop-on demand MicroPiezo® inkjet technology/PrecisionCore 1S printhead

Printer Language Epson ESC/P®-R

Max. Print Resolution 4800 x 1200 optimized dpi Print Speed† 15 ISO ppm (black), 8 ISO ppm (color) Auto 2-Sided Print Speed† 6.5 ISO ppm (black), 4.5 ISO ppm (color)

Min. Ink Droplet Size 3 droplet sizes, as small as 3.3 picoliters

#### **Mobile Printing and Scanning**

Epson Connect™ Solutions<sup>5</sup> Epson Email Print, Epson Remote Print, Epson Scan to Cloud8, Epson iPrint™ App (iOS®, Android)

Other Apple® AirPrint®. Google Cloud Print™. Android printing. Fire™ OS printing, Mopria® Print Service

Copy Speed<sup>††</sup> 11 ISO cpm (black), 5.5 ISO cpm (color) Copy Quality Color/Black-and-white: Standard/Best

Copy Quantity 1 - 99 copies (PC-free) Max. Copy Size 8.5" x 14"/legal

Copy Features 1-sided to 2-sided, Density, Reduction and Enlargement (25 – 400%), Multi-page, Quality, Remove Shadow, Remove Punch Holes, ID Copy, Borderless

Scanner Type Color flatbed/ADF (CIS line sensor) Max. Hardware Resolution 2400 dpi

Hardware Resolution 1200 x 2400 dpi Max. Resolution 9600 dpi interpolated

Scanner Bit Depth Input: 48-bit color / Output: 24-bit color

Scan Bed Size 11.7" x 11.7" max. Max. Scan Size (ADF) 11.7" x 14" max. Scan Features Scan to Computer, Scan to Cloud8

#### **Auto Document Feeder**

30 sheets

2-side to 2-side duplex Max. size: 8.5" x 14"/legal

#### Connectivity

#### Standard Connectivity

Hi-Speed USB Wireless (802.11 b/g/n)<sup>6</sup> Ethernet (10/100 Mbps) Wi-Fi Direct<sup>6</sup>

Operating Systems Windows® 10, Windows 8. 8.1 (32-bit, 64-bit), Windows 7 (32-bit, 64-bit) Windows Server® 2003 – Windows Server 20169

#### **Paper Handling**

PC-free Paper Support Plain (letter, half letter, executive, 8.5" x 11", A4), Photo (4" x 6", 5" x 7", 8" x 10", letter, A4)

Max. Paper Size 8.5" x 47.2"

Mac® OS X® 10.6 - macOS® 10.12.x10

**Paper Sizes**  $3.5" \times 5", 4" \times 6", 5" \times 7", 8" \times 10", 8.5" \times 11", 8.5" \times 14", A4, A6, A3, A3+, half letter, executive, user definable (3.5" x 5" <math>-13" \times 47"$ )

Paper Types Plain paper, Epson Bright White Paper, Epson Presentation Paper Matte, Epson Premium Presentation Paper Matte, Epson Premium Presentation Paper Matte Double-sided, Epson Premium Photo Paper Glossy

Envelope Types No. 10

Input Paper Capacity 150 sheets plain paper

Duty Cycle<sup>11</sup> Up to 5,000 pages (Recommended monthly page volume up to 800 pages)

Display 2.4" color touchscreen

**Temperature**Operating: 50 ° to 95 °F (10 ° to 35 °C)
Storage: -4 ° to 104 °F (-20 ° to 40 °C)

## **Relative Humidity**

Operating: 20 - 80%

Storage: 5 – 85% (no condensation) **Sound Level** 

Power: 6.4 B(A) Pressure: 52 dB(A)

#### **General (continued)**

#### **Power Requirements**

Rated Voltage: AC 100 – 240 V Universal (Automatic) Rated Frequency: 50 – 60 Hz Rated Current: 0.4 – 0.2 A

Power Consumption
Approx. 12 W ISO 24712 (Standalone copy printing) Approx. 5.3 W (Standby) Approx. 0.9 W (Sleep)

Approx. 0.2 W (Power off) ENERGY STAR® qualified

#### **Safety Approvals**

Safety standards UL60950, CSA C22.2 No. 60950 EMI FCC Part 15 subpart B class B, CAN/CSA-CEI/IEC CISPR 22 class B

Weight and Dimensions (W x D x H)

Printing: 16.4" x 19.8" x 10.0' Storage: 14.8" x 13.7" x 9.1" Weight: 15.0 lbs

#### What's in the Box

WorkForce ST-3000 EcoTank MFP, manual, power cord, Included ink in the box: 2x bottles 502 Black (127 mL) and 2x bottles each 502 Cyan, Magenta, Yellow (70 mL)2

Software Available<sup>12</sup> Epson printer driver, Epson Scan Warranty<sup>7</sup> 2-year limited warranty in the U.S. and Canada, 2nd year requires product registration

Country of Origin Philippines

#### Ink

Ink Bottles 4 individual ink bottles (Cyan, Magenta, Yellow and Black)

Replacement Ink Bottles<sup>13</sup> 502 Black ink bottle (127 mL) yield: 7,500; 502 color (Cyan, Magenta, Yellow) ink bottle (70 mL) vield: 6.000

Epson strongly recommends the use of genuine ink to ensure optimal print quality and performance.

### **Fco Features**

RoHS compliant Recyclable product14

Epson America, Inc. is a SmartWay® Transport Partner<sup>15</sup>

## **Ordering Information**

WorkForce ST-3000 Maintenance Box

C11CG20202 T04D100

#### All images simulated

† Black and color print speeds are measured in accordance with ISO/IEC 24734. Actual print times will vary based on factors including system configuration, software, and page complexity. For more information, visit www.epson.com/printspeed | ## Black and color copy speeds are determined in accordance with ISO/IEC 29183. Actual copy times will vary based on factors including system configuration and page complexity. For more information, visit www.epson.com/copyspeed | 1 Based on average monthly document print volumes of about 300 pages. | 2 Included ink bottle yields based on the ISO/IEC 24712 pattern with Epson's methodology. Actual ink yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink color. All ink colors are used for printing and printer maintenance, and all colors must be available for printing. For more information, visit www.epson.com/inkinfo | 3 Equivalent cartridge sets estimate based on print yields of the included Black and color ink bottles as compared to Epson standard-capacity ink cartridge sets for similarly featured cartridge printers as of October 2018 | 4 Savings comparison based on the purchase cost of replacement ink bottles and the cost of enough cartridges to achieve the total page yields of the bottles using the manufacturers' online prices and yields for the highest-capacity cartridges for the best-selling similarly featured consumer inkjet printers priced at \$499 USD or less per industry available data, August 2018. Actual savings will vary based on print tasks, print volumes and usage conditions. | 5 Most features require an Internet connection to the printer, as well as an Internet- and/or email-enabled device. For a list of Epson Connect enabled printers and compatible devices and apps, visit www.epson.com/connect | 6 Wi-Fi CERTIFIED™; level of performance subject to the range of the router being used. Wi-Fi Direct may require printer software. | 7 12 months of standard limited warranty or 50,000 plain paper sheets (whichever happens first). For an additional 12 months (total of 24 months or 50,000 plain paper sheets, whichever happens first), register your product and use Epson genuine ink bottles. See Limited Warranty for details. | 8 Requires an Internet connection, a free Epson Connect account and a destination email address or cloud storage account. For a list of supported cloud services, visit www.epson.com/connect | 9 Only printing and scanning are supported under Windows Server OS. | 10 Some applications and/or functions may not be supported under Mac OS X. | 11 Monthly duty cycle is the highest duty a user could expect in a month, based on near-constant operation of a device of this kind. It is not recommended that the device be run at this duty. For best device performance, run the device at the recommended duty. | 12 Internet access is required to install OS X drivers and software. | 13 Replacement ink bottle yields based on the ISO/IEC 24712 pattern with Epson's methodology. Actual ink yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink color. All ink colors are used for printing and printer maintenance, and all colors must be available for printing. For more information, visit www.epson.com/inkinfo | 14 For convenient and reasonable recycling options, visit www.epson.com/recycle | 15 SmartWay is an innovative partnership of the U.S. Environmental Protection Agency that reduces greenhouse gases and other air pollutants and improves fuel efficiency.

See the latest innovations from Epson Business Solutions at www.epson.com/forbusiness

### Better Products for a Better Future eco.epson.com





Epson America, Inc. **Epson Canada Limited** 3840 Kilroy Airport Way, Long Beach, CA 90806 185 Renfrew Drive, Markham, Ontario L3R 6G3

www.epson.com www.epson.ca

Specifications and terms are subject to change without notice. EPSON, ECOTANK, Epson ESC/P, MicroPiezo, PrecisionCore and WorkForce are registered trademarks, EPSON Exceed Your Vision is a registered logomark and Better Products for a Better Future, Epson Connect and Epson Print are trademarks of Seiko Epson Corporation. AirPrint, Apple, iPad, iPhone, Mac, macOS and OS X are trademarks of Apple Inc., registered in the U.S. and other countries. Android and Google Cloud Print are trademarks of Google LLC. Windows and Windows Server are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Wi-Fi Direct® is a registered trademark and Wi-Fi CERTIFIED™ is a trademark of Wi-Fi Alliance®. SmartWay is a registered trademark of the U.S. Environmental Protection Agency. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. Copyright 2018 Epson America, Inc. Com-SS-Oct-13 CPD-56535 12/18

## Contact: