HP LaserJet Enterprise M607 series

This HP LaserJet with JetIntelligence combines performance, energy efficiency, and security.¹

This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-guality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.¹

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. http://www.hp.com/go/learnaboutsupplies



HP LaserJet Enterprise M607n



HP LaserJet Enterprise M607dn

The world's most secure printing¹

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.²
- Give workgroups what they need to succeed. Easily choose and deploy over 175 HP and third-party solutions.

High-speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents nearly as fast as singlesided.
- This printer wakes up fast and prints your first page faster—in as quickly as 7.8 seconds.⁴
- This printer uses exceptionally low amounts of energy thanks to its innovative design and toner technology.⁵
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes 4 x 6" to legal.

More. Performance and Protection.

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin

³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.
⁵ Energy claim based on TEC data reported on energystar.gov as of January 2017. Data normalized to determine energy efficiency of in-class laser printers with published speed of 55 to 75 ppm. Subject to device settings.

⁶ An FCC class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications

Product walkaround

- 1. Hardware Integration Pocket³
- 2. 2.7-inch (6.9 cm) color graphics display with keypad
- 3. Easy-access USB port
- 4. 100-sheet multipurpose tray 1
- 5. Front door access to toner cartridges
- 6. 550-sheet input tray 2 7. 500-sheet output bin
- 8. Automatic two-sided printing
- 9. Host USB port
- 10. Gigabit Ethernet network port
- 11. Host USB port
- 12. Hi-Speed USB 2.0 printing port



Series at a glance





Model	HP LaserJet Enterprise M607n	HP LaserJet Enterprise M607dn	
Part number	K0Q14A	K0Q15A	
Print speeds (letter/A4) ²	Up to 55/52 pages per minute (ppm)	Up to 55/52 ppm	
Control panel	2.7-inch (6.9 cm) LCD with keypad		
Automatic two-sided printing	Not available	\checkmark	
Hardware Integration Pocket ³	Not available	\checkmark	
100-sheet tray 1, 550-sheet tray 2	√		
550-sheet paper feeder ⁴	Optional (up to four)		
2,100-sheet paper feeder ⁴	Optional		
Envelope feeder	Optional (up to two)		
Printer stand	Optional		
5-bin stapler/stacker/mailbox with job offset	Optional		
Direct mobile printing	Optional wireless direct ⁵ /NFC ⁶		
Wireless networking	Optional ⁷		
HP High-Performance Secure Hard Disk	Optional		

- ¹ An administrator must enable the easy-access USB port before use. ² Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ³ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. HIP not available on the HP Laser Jet Enterprise M607n.
- 4 All models come standard with the 100-sheet multipurpose tray and 550-sheet paper feeder standard, and can add up to three additional optional 550-sheet paper feeders and the optional 2,100-sheet maper feeder. The M607 n and M607 n models can add up to four additional 550-sheet paper feeders and the optional 2,100-sheet

The wood of an optional SSO-sheet paper feeders and the optional 2, 100-sheet paper feeder. The wood of an index of an object and up to four additional SSO-sheet paper feeders and the optional 2, 100-sheet paper feeder. ⁵ Wi-Fi Direct printing is embedded in the HP LaserJet Enterprise M608x and M609x models. All other models can add wireless direct with the purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the signal of a Wi-Fi Direct[®] supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/mobileprinting. Wi-Fi Direct trademark of Wi-Fi Allince[®]. ⁶ Touch-to-print capability is optional for all models (except M608x and M609x) with purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication

(NFC)-enabled printing. For more information, see the optional HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: hp.com/go/cpc:









Top features

Only HP Enterprise printers repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.

With speeds up to 55 pages per minute,³ fast first page out, and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Help protect your printer using Original HP Toner cartridges with JetIntelligence.

2MU47A HP Accessibility Assistant
2NRO3A HP 1 GB 90-pin DDR3 DIMM
2NR12A HP Removable Hard Drive Enclosure
3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory
5EL03A HP TAA Version Secure Hard Disk Drive
B5L28A HP Internal USB Ports
B5L29A HP High-Performance Secure Hard Disk
CC543B HP SmartCard NIPRNet Solution for US Government
F5S62A HP Trusted Platform Module Accessory
G6W84A HP 1 GB 90-pin DDR3 DIMM
J8030A HP Jetdirect 3000w NFC/Wireless Accessory
J8031A HP Jetdirect 2900nw Print Server
J8J96A HP Staple Cartridge Refill
LOH17A HP LaserJet 550-sheet Paper Tray
LOH18A HP LaserJet 2100 Sheet Paper Tray
LOH19A HP LaserJet Printer Stand
LOH2OA HP LaserJet Stapler/Stacker/Mailbox
LOH21A HP LaserJet Envelope Feeder
LOH22A HP LaserJet Extension Tray Cover
Supplies
HP 37A Black Original LaserJet Toner Cartridge (11,000 yield) CF237A
Services
U9MU0E - HP 3y Nbd+DMR LJ Ent M607 HW Supp
U9MU0A - HP 3y Nbd+DMR LJ Ent M607 HW Supp
U9MU1E - HP 4y Nbd+DMR LJ Ent M607 HW Supp
U9MU2E - HP 5y Nbd+DMR LJ Ent M607 HW Supp
U9MU3E - HP 3y 4h 9x5+DMR LJ Ent M607 HW Supp
U9MU4E - HP 4y 4h 9x5+DMR LJ Ent M607 HW Supp
U9MU5E - HP 5y 4h 9x5+DMR LJ Ent M607 HW Supp
U9MU6E - HP 3y 4h 13x5+DMR LJ Ent M607 HW Supp
U9MU7E - HP 4y 4h 13x5+DMR LJ Ent M607 HW Supp
U9MU8E - HP 5y 4h 13x5+DMR LJ Ent M607 HW Supp
U9MU9E - HP 3y NBD CTR+DMR LJ Ent M607 HW Supp
U9MV0E - HP 4y NBD CTR+DMR LJ Ent M607 HW Supp

Accessories

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims
² HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin
³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, of the user of complexity.

U9MV1E - HP 5y NBD CTR+DMR LJ Ent M607 HW Supp

driver, and document complexity.

⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.
⁵ Energy claim based on TEC data reported on energystar.gov as of January 2017. Data normalized to determine energy efficiency of in-class laser printers with published speed of 55 to 75 ppm. Subject to device settings. Actual results may vary.

⁶ An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications

HP LaserJet Enterprise M607 series

Model	HP Laser Jet Enterprise M607n	HP LaserJet Enterprise M607dn		
Product number	KOQ14A	K0Q15A		
Print	·			
Print speed ^{8,10,9}	Letter: Up to 55 ppm Black; First page out: As fast as 5.3 sec Black; Print speed (Landscape, A5): Up to 80 ppm Black	Letter: Up to 55 ppm Black; 2-sided: Up to 45 ppm Black; First page out: As fast as 5.3 sec Black; Print speed (Landscape, A5): Up to 80 ppm Black		
Print resolution	Black (best) Up to 1200 x 1200 dpi; Black (normal) FastRes 1200; Black (fine lines) Up to 1200 x 1200 dpi			
Print technology	Laser; Print resolution technology: FastRes 1200; 1200 x 1200 dpi			
Print cartridges number	1 (black)			
Standard print languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF prin			
Printer smart software features	Print preview, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB		
Printer management / HP SureSupply	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver/ Yes			
Connectivity				
Standard connectivity	1 Hi-Speed USB 2.0 Device; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet 10/100/1000T network	1 Hi-Speed USB 2.0 Device; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket		
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-T, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).			
Wireless capability	Energy Star: 2.131 kWh/Week			
Mobile printing capability ⁷	HP ePrint; Apple AirPrint™; Mopria-certified			
Memory	Standard: 512 MB; Maximum: 1.5 GB, MAX memory, when 1GB Accessory DIMM is installed			
Processor speed	1.2 GHz / Storage ¹¹ : 4 GB EMMC / Hard disk: Optional, 500 GB (with accessory B5L29A)			
Duty cycle (monthly)	Letter:Up to 250,000 pages; Recommended monthly page volume: 5000 to 20,000			
Paper handling				
Input	100-sheet multipurpose feeder, 550-sheet input feeder; Up to 650 sheets Standard			
Output	Standard: 500 sheet output bin; up to 500 sheets Standard; Transparencies: 200			
Duplex Options	Manual (driver support provided)	Automatic (standard)		
Envelope feeder	Yes, 75 (optional)			
Standard paper trays	2			
Media types	Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy	rough), mono transparency, labels, letterhead, envelope, heavy envelope		
Media weight	Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2: 16 to 32 lb bond (plain); Automatic Duplexer:	16 to 32 lb		
Media sizes	feeder 1: Letter, legal, statement, executive, Oficio (8.5 x 13 in), envelopes [No. 9, No. 10, Monarch(7 3/4)], 3 x 5, 4	4 × 6, 5 × 7, 5 × 8; feeder 2: letter, executive, legal		
Media Sizes Custom	feeder 1: 3 x 5 to 8.5 x 14 in; feeder 2: 3.90 x 5.83 to 8.5 x 14 in			
Dimensions (w x d x h)	17 x 18.3 x 15 in; Maximum: 17 x 40.9 x 17.8 in			
Weight	47.7 lbs			
What's in the box ²	HP LaserJet Printer; HP Black Original LaserJet Toner Cartridge (~11K yield); CD with software drivers and docume	ntation;Documentation (Hardware Install Guide); Power cord		
Replacement cartridges ⁶	HP 37A Black Original LaserJet Toner Cartridge (11,000 yield) CF237A			
Warranty features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your region. (wty code 4G)			
Energy efficiency compliance	ENERGY STAR® qualified; EPEAT® Silver; EPEAT® Gold (#AAZ, #201 options only)			
Control panel	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle) display with 24-key pad			
Display	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle)			
Software included	HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123. HP.com or OS App Source for printer software), Online user manuals			
Fonts and typefaces	105 internal True Type fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP Laser Jet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts			
Compatible operating systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.9, 7.9, 7.9, 7.9, 7.9, 7.9, 7.9			
Compatible network operating systems	Citrix MetaFrame Presentation Server 3.0. Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3). Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008 PC Terminal Services, 22- and 64-bit, Citrix XenApp 6.0/6.5/7.5 [for Windows Server 2008 R2 Terminal Services, 32- and 64-bit, Citrix XenApp 6.0/6.5/7.5 [for Windows Server 2008 R2 Terminal Services, 64-bit, Novell Network 2008 R2 Ferminal Services, 64-bit, Novell Network 2008 R2 Ferminal Services, 64-bit, Novell Network 2008 R2 Ferminal Services, 64-bit, Citrix XenApp 6.0/6.5/7.5 [for Windows Server 2008 R2 Terminal Services, 64-bit, Citrix XenApp 6.0/6.5/7.5 [for Windows Server 2008 R2 Ferminal Services, 64-bit, Citrix XenApp 6.0/6.5/7.5 [for Windows Server 2008 R2 Ferminal Services, 64-bit, Citrix XenApp 6.0/6.5/7.5 [for Windows Server 2008 R2 Ferminal Services, 64-bit, Citrix XenApp 6.0/6.5/7.5 [for Windows Server 2008 R2 Ferminal Services, 64-bit, Citrix XenApp 6.0/6.5/7.5 [for Windows Server 2008 R2 Ferminal Services, 64-bit, Citrix XenApp 7.0/7.5 [for Windows Server 2012 R2 Ferminal Services, 64-bit, Citrix XenApp 7.0/7.5 [for Windows Server 2012 R2 Ferminal Services, 64-bit, Citrix XenApp 7.0/7.5 [for Windows Server 2012 R2 Ferminal Services, 64-bit, Citrix XenApp 7.0/7.5 [for Windows Server 2012 R2 Ferminal Services, 64-bit, Citrix XenApp 7.0/7.5 [for Windows Server 2012 R2 Ferminal Services, 64-bit, Citrix XenApp 7.0/7.5 [for Windows Server 2012 R2 Ferminal Services, 64-bit, Citrix XenApp 7.0/7.5 [for Windows Server 2012 R2 Ferminal Services, 64-bit, Citrix XenApp 7.0/7.5 [for Windows Server 2012 R2 Ferminal Services, 64-bit, Citrix XenApp 7.0/7.5 [for Windows Server 2012 R2 Ferminal Services, 8.0/2.0/17.5 [for Windows Server 201			
Minimum system requirements	PC2 GB available hard disk space; DS hardware reguirements see microsoft.com; Mac: 1.3 GB available hard drive space; Internet, DS hardware requirements see Apple.com for more info			
Power ^{4 5}	Power supply type: Built in 115 or 2201 Power Supply (Not value) to the feature is by part number with # Option code identifier); Power supply inquired: 100V - 127V nominal @ +/-10% (min 90V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 6 A; Power consumption*; 780 watts (printing), 15.3 watts (eady), 3.1 watts (seed), -0.1 watts (Auto Off/Manual On), < 0.1 watts (Manual Off); Typical electricity consumption (TEC) number: Blue Angel: 1.971 kWh/Week; Energy Star: 2.131 kWh/Week; Best technical electricity consumption (TEC) 2.135 kWh/Week; Seed Star); 2.131 kWh/Week; 2.131 kWh/We			
Acoustics	Acoustic power emissions: 6.9 B(A)			
Operating environment	Operating temperature range: 15 to 27°C; Recommended operating temperature: 59 to 80.6°F; Storage tempera 90% RH	ature range: -4 to 104°F; Operating humidity range: 30 to 70% RH; Recommended operating humidity range: 10 to		
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g., badge readers), Network: IPsec/firewall with Certificate, Pre-Shared Rev; and Kerberos authentication; Supports WM-10 IPsec configuration Puge; n802.1X authentication IEAP-PEA EAP-TLS); SNMPv3; HTTPS; Certificates, Access Control List, Data Zonage Encryption; Encrypted PDF & Email use FIPS 140 validated cryptographic libraries from Microsoft); Sacure Erasé; SL/TJS (HTTPS); Encrypted IPC & Remail use FIPS 140 validated cryptographic libraries from Microsoft); Sacure Erasé; SL/TJS (HTTPS); Encrypted IPC & Remail use control to the state of the state in the state of the state constate of the state of	EAR-TLSJ: SMMPv3; HTTPS; Certinicates; Access Control List; Data: storage Encryption; Encrypted PLP & Email Uses FIPS: 140 validated cryptographic libraries from Microsoft). Secure Erace: SLTLS (HTTPS); Encrypted Credentials; Device; Security led Each; Disposition; Convergent reliability and provide the Security SecUrity SecUrity SecUrity Convergent reliability; Biol Security Led Security Convergent reliability; Secure Erace; Security Led Credentials; Biol Security Checking with self-healing capability; Whitesitesitan c-leads only Known rood code (DLLs, EKEs);		

¹ EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

² Cartridges included; yields 11,000 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see

http://www.hp.com/go/learnaboutsupplies

³ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. ⁴ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of

115 V device

⁵ Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.
⁶ Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies

 ⁷ May require a firmware upgrade to be compatible, download at http://www.hp.com/go/support
 ⁸ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁹ Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.
¹⁰ Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

¹¹ eMMC is non-volatile storage; Firmware encryption (AES 128 or AES 256) of customer/job data; Secure Cryptographic Erase – Job Data; Secure Erase – Disk

¹² Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies

To learn more, visit hp.com

© Copyright 2017-2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.



At a glance

Main features









Highlighted features

1	0	1
	1	
1		/

The world's most secure printing Keep data protected with strongest security designed to help detect and stop attacks.



Original HP Toner cartridges with JetIntelligence Get more pages and ensure you're getting the authentic HP quality you paid for—helps identify whether a cartridge is Original HP, used, or counterfeit.







2-sided

printing

High-speed performance Print from energy-efficient sleep mode in as fast as 7.8 seconds, and print two-sided documents nearly as fast as one.

Additional features

- Print from USB drive
- 🗸 Instant-on Technology
- 🖊 Management features
- X Auto document feeder
- 🗴 Scan to email
- X Color touchscreen
- X Optional high-yield cartridges
- X NFC touch-to-print

Included

🗡 Not included



In the box

